

Version #: 01 Issue date: 26-July-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier JAR-HW LG FRM FRS PCH YCE 1631381E Trade name or designation of the mixture **Registration number Synonyms** None 1631381E Product code 1.2. Relevant identified uses of the substance or mixture and uses advised against **Identified uses** General Public Use Uses advised against None known 1.3. Details of the supplier of the safety data sheet Yankee Candle Company (Europe) Limited Company name Poplar Way East, Cabot Park **Company Address** Avonmouth Bristol United Kingdom **BS11 0YH** 1.4. Emergency telephone number General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) **Austria National Poisons** +431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) Information Centre 070 245 245 (Available 24 hours a day. SDS/Product information may not be **Belgium National Poisons Control Centre** available for the Emergency Service.) **Bulgaria National** +359 2 9154233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) **Toxicological Information** Centre +420 224 919 293, or +420 224 915 402 (Hours of operation not provided. **Czech Republic National Poisons Information** SDS/Product information may not be available for the Emergency Service.) Centre **Denmark National Poisons** +45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) **Control Centre** 16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed Estonia National Poisons on Sundays and on national holidays). SDS/Product information may not be Information Centre available for the Emergency Service.) **Finland National Poison** (09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.) Information Centre **France National Poisons** ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. **Control Centre** SDS/Product information may not be available for the Emergency Service.) 36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be **Hungary National** available for the Emergency Service.) **Emergency Phone Number** Lithuania Neatidėliotina +370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.) informacija apsinuodijus Malta Accident and 2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.) **Emergency Department Netherlands National** 030-274 88 88 (Only for the purpose of informing medical personnel in cases of acute intoxications) **Poisons Information** Centre (NVIC)

SAFETY DATA SHEET

1.	4.	Emergency	tele	phone	number
		Linergency	LEIE	phone	number

Norway Norwegian Poison Information Centre	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Portugal Poison Centre	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Romania Biroul RSI si Informare Toxicologica	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
Slovakia National Toxicological Information Centre	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Sweden National Poison Information Centre	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not applicable.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Supplemental label information	EUH208 - Contains Octabenzone, Linalool, 1,6-Nonadien-3-ol, 3,7-dimethyl-, Rose Ketone-4, delta-Damascone. May produce an allergic reaction.
2.3. Other hazards	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

neral information					
Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Octabenzone	≤ 0,3	1843-05-6 217-421-2	-	-	
Classification	Skin Sens	s. 1B;H317			
1,6-Nonadien-3-ol, 3,7-dimethyl-	≤ 0,2	10339-55-6 233-732-6	-	-	
Classification	Eye Irrit. 2	2;H319, Skin Sens. 1B	;H317		
Linalool	≤ 0,2	78-70-6 201-134-4	01-2119474016-42	603-235-00-2	
Classification	Skin Irrit.	2;H315, Eye Irrit. 2;H3	319, Skin Sens. 1B;H317		
Other components below reportable levels	99.57				
st of abbreviations and symbols that ATE: Acute toxicity estimate. M: M-factor PBT: persistent, bioaccumulative and vPvB: very persistent and very bioacc All concentrations are in percent by w substance has been assigned Union	toxic subst cumulative s reight unles	ance. substance. s ingredient is a gas.	Gas concentrations are in p	ercent by volume.	#: This

SECTION 4: First aid meas	sures			
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.			
4.1. Description of first aid measures				
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.			
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.			
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.			
Ingestion	Rinse mouth. Get medical attention if symptoms occur.			
4.2. Most important symptoms and effects, both acute and delayed	Nausea.			
4.3. Indication of any immediate medical attention and special treatment needed	Treat symptomatically.			
SECTION 5: Firefighting m	leasures			
General fire hazards	No unusual fire or explosion hazards noted.			
5.1. Extinguishing media Suitable extinguishing media	Foam. Dry powder. Dry sand. Carbon dioxide (CO2).			
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.			
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.			
5.3. Advice for firefighters				
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.			
Special fire fighting procedures	Move containers from fire area if you can do so without risk.			
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.			
SECTION 6: Accidental release measures				
6.1. Personal precautions, prote	ctive equipment and emergency procedures			
For non-emergency personnel	Wear appropriate personal protective equipment.			
For emergency responders	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.			
6.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.			
6.3. Methods and material for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water.			
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.			
SECTION 7: Handling and	SECTION 7: Handling and storage			
7.1. Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.			
7.2. Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).			
7.3. Specific end use(s)	Not available.			
SECTION 8: Exposure con	trols/personal protection			

8.1. Control parameters

Occupational exposure limits

Belgium. Exposure Limit Values				
Components	Туре	Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Fume.	

	Туре	Value	nd 2, Narodne Novine, 13/0 Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	MAC	2 mg/m3	Fume.
	STEL	6 mg/m3	Fume.
Denmark. Exposure Limit Values Components	Туре	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 3002-74-2)	TLV	2 mg/m3	Fume.
Estonia. OELs. Occupational Exposure L Components	imits of Hazardous Subs Type	tances (Regulation No. 10 Value	5/2001, Annex), as amended Form
Paraffin waxes and Hydrocarbon waxes (CAS 3002-74-2)	TWA	2 mg/m3	Vapour.
Finland. Workplace Exposure Limits Components	Туре	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	1 mg/m3	Fume.
France. Threshold Limit Values (VLEP) fo Components	or Occupational Exposure Type	e to Chemicals in France, I Value	NRS ED 984 Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	VME	2 mg/m3	Fume.
Regulatory status: Indicative limit (\	/L)		
Greece. OELs (Decree No. 90/1999, as an	nended)		
Components	Туре	Value	Form
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	STEL	6 mg/m3	Fume.
	TWA	2 mg/m3	Fume.
	ccupational exposure lim	•	
_	Туре	its Value	Form
Components Paraffin waxes and Hydrocarbon waxes (CAS			Form Fume.
Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) Ireland. Occupational Exposure Limits	Туре	Value	
Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) Ireland. Occupational Exposure Limits Components Paraffin waxes and Hydrocarbon waxes (CAS	Type TWA	Value 2 mg/m3	Fume.
Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) Ireland. Occupational Exposure Limits Components Paraffin waxes and Hydrocarbon waxes (CAS	Type TWA Type	Value 2 mg/m3 Value	Fume.
Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) Ireland. Occupational Exposure Limits Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	Type TWA Type STEL	Value 2 mg/m3 Value 6 mg/m3	Fume. Form Fume.
Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) Ireland. Occupational Exposure Limits Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) Italy. Occupational Exposure Limits	Type TWA Type STEL	Value 2 mg/m3 Value 6 mg/m3	Fume. Form Fume.
Components Paraffin waxes and Hydrocarbon waxes (CAS 3002-74-2) Ireland. Occupational Exposure Limits Components Paraffin waxes and Hydrocarbon waxes (CAS 3002-74-2) Italy. Occupational Exposure Limits Components Paraffin waxes and Hydrocarbon waxes (CAS	Type TWA Type STEL TWA	Value 2 mg/m3 Value 6 mg/m3 2 mg/m3	Fume. Form Fume. Fume.
Iceland. OELs. Regulation 154/1999 on of Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) Ireland. Occupational Exposure Limits Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) Italy. Occupational Exposure Limits Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) Norway. Administrative Norms for Contac Components	Type TWA STEL TWA Type TWA TWA	Value 2 mg/m3 Value 6 mg/m3 2 mg/m3 Value 2 mg/m3	Fume. Form Fume. Fume.

Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) Romania. OELs. Protection of Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA upational exposure to chemical Type TWA f workers from exposure to chemical Type STEL TWA lo. 300/2007 concerning protecti Type STEL TWA re Limits Type TWA TWA	Value 2 mg/m3 mical agents at the workplace Value 6 mg/m3 2 mg/m3 ion of health in work with chem Value 6 mg/m3 2 mg/m3 Value	Inhalable fraction. Form Fume.	
Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) Romania. OELs. Protection of Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) Slovakia. OELs. Regulation N Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) Spain. Occupational Exposure Components Paraffin waxes and Paraffin waxes and	Type TWA f workers from exposure to cher Type STEL TWA lo. 300/2007 concerning protecti Type STEL TWA re Limits Type	Value 2 mg/m3 mical agents at the workplace Value 6 mg/m3 2 mg/m3 ion of health in work with chem Value 6 mg/m3 2 mg/m3 Value	Fume.	
Hydrocarbon waxes (CAS 8002-74-2) Romania. OELs. Protection of Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) Slovakia. OELs. Regulation N Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) Spain. Occupational Exposure Components Paraffin waxes and	f workers from exposure to che Type STEL TWA Io. 300/2007 concerning protecti Type STEL TWA re Limits Type	mical agents at the workplace Value 6 mg/m3 2 mg/m3 ion of health in work with chem Value 6 mg/m3 2 mg/m3 Value	Form Fume. Fume. hical agents Form Fume. Fume.	
Components Paraffin waxes and Hydrocarbon waxes (CAS B002-74-2) Slovakia. OELs. Regulation N Components Paraffin waxes and Hydrocarbon waxes (CAS B002-74-2) Spain. Occupational Exposure Components Paraffin waxes and Paraffin waxes and	Type STEL TWA lo. 300/2007 concerning protecti Type STEL TWA re Limits Type	Value 6 mg/m3 2 mg/m3 ion of health in work with chem Value 6 mg/m3 2 mg/m3 Value	Fume. Fume. hical agents Form Fume. Fume.	
Hydrocarbon waxes (CAS 8002-74-2) Slovakia. OELs. Regulation N Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) Spain. Occupational Exposure Components Paraffin waxes and	TWA lo. 300/2007 concerning protecti Type STEL TWA re Limits Type	2 mg/m3 ion of health in work with chem Value 6 mg/m3 2 mg/m3 Value	Fume. hical agents Form Fume. Fume.	
Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) Spain. Occupational Exposure Components Paraffin waxes and	lo. 300/2007 concerning protecti Type STEL TWA re Limits Type	ion of health in work with chem Value 6 mg/m3 2 mg/m3 Value	Fume.	
Components Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2) Spain. Occupational Exposure Components Paraffin waxes and	Type STEL TWA re Limits Type	Value 6 mg/m3 2 mg/m3 Value	Form Fume. Fume.	
Hydrocarbon waxes (CAS 8002-74-2) Spain. Occupational Exposur Components Paraffin waxes and	TWA re Limits Type	2 mg/m3 Value	Fume.	
Components Paraffin waxes and	re Limits Type	Value		
Components Paraffin waxes and	Туре		Form	
	TWA	0 / 0		
3002-74-2)		2 mg/m3	Fume.	
Switzerland. SUVA Grenzwert Components	te am Arbeitsplatz Type	Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	TWA	2 mg/m3	Respirable fume.	
UK. EH40 Workplace Exposur	re Limits (WELs)			
Components	Туре	Value	Form	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	STEL	6 mg/m3	Fume.	
,	TWA	2 mg/m3	Fume.	
ogical limit values	No biological exposure limits note	d for the ingredient(s).		
ommended monitoring edures	Follow standard monitoring proce	dures.		
ved no effect levels ELs)	Not available.			
icted no effect entrations (PNECs)	Not available.			
Exposure controls				
rols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.			
General information	uch as personal protective equi Personal protection equipment sh discussion with the supplier of the	ould be chosen according to the	CEN standards and in	
Eye/face protection	Wear safety glasses with side shi	elds (or goggles).		
Skin protection				
- Hand protection	Wear appropriate chemical resista	ant gloves.		
	Wear suitable protective clothing. In case of insufficient ventilation, v			

Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

5.1. Information on busic physic	
Physical state	Solid.
Form	Solid.
Colour	Not available.
Odour	Not available.
Melting point/freezing point	> 39 - < 95 °C (> 102,2 - < 203 °F)
Boiling point or initial boiling point and boiling range	> 350 - < 430 °C (> 662 - < 806 °F)
Flammability	Not available.
Flash point	> 204 - < 271 °C (> 399,2 - < 519,8 °F)
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
рН	Not available.
Kinematic viscosity	> 2,1 - < 5 mm²/s
Solubility	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water) (log value)	Not available.
Vapour pressure	>2,67 kPa
Density and/or relative density	
Density	> 800 - < 940 kg/m3 0,975 g/cm3 estimated
Vapour density	Not available.
Particle characteristics	Not available.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.
9.2.2. Other safety characteristic	SS
Specific gravity	0,97507 estimated > 0,8 - < 0,94

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.			
Information on likely routes of exposure				
Inhalation	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful.			
Skin contact	May cause an allergic skin reaction.			
Eye contact	Direct contact with eyes may cause temporary irritation.			

Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of
	occupational exposure.

Symptoms Nausea.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Acute toxicity		
Components	Species	Test Results
Octabenzone (CAS 1843-05-6)		
<u>Acute</u>		
Dermal	-	
LD50	Rabbit	> 10 g/kg
Oral		
LD50	Rat	> 10000 mg/kg
Skin corrosion/irritation	Due to partial or complete lack	of data the classification is not possible.
Serious eye damage/eye irritation	Due to partial or complete lack	of data the classification is not possible.
Respiratory sensitisation	Due to partial or complete lack	of data the classification is not possible.
Skin sensitisation	Due to partial or complete lack	of data the classification is not possible.
Germ cell mutagenicity	Due to partial or complete lack	of data the classification is not possible.
Carcinogenicity	Due to partial or complete lack	of data the classification is not possible.
(as amended)	nance on protection against an	d preventing risk relating to exposure to carcinogens at work
Not listed.	Due to partial or complete leak	of data the classification is not possible.
Reproductive toxicity Specific target organ toxicity -		of data the classification is not possible.
single exposure Specific target organ toxicity - repeated exposure	Due to partial or complete lack	of data the classification is not possible.
	Due to portial or complete look	of data the place if action is not possible
Aspiration hazard	No information available.	of data the classification is not possible.
Mixture versus substance information		
11.2. Information on other hazar		
Endocrine disrupting properties		omponents considered to have endocrine disrupting properties (f) or regulation (EU) 2017/2100 or Commission Regulation (EU) igher.
Other information	May cause allergic respiratory	and skin reactions.
SECTION 12: Ecological in	nformation	
12.1. Toxicity	Based on available data, the claen environment.	assification criteria are not met for hazardous to the aquatic
12.2. Persistence and degradability	No data is available on the degr	adability of any ingredients in the mixture.
12.3. Bioaccumulative potential		
Partition coefficient		
n-octanol/water (log Kow) 1,6-Nonadien-3-ol, 3,7-dimeth	nyl-	3,3
Linalool	ıyı-	3,5 2,97
Octabenzone		6,96
	N1 (11 11	7,6 Estimated
Bioconcentration factor (BCF)	Not available.	
12.4. Mobility in soil	No data available.	ukatawana ana ana ita ka wawa (DDT ang 1997). Dari 1997
12.5. Results of PBT and vPvB assessment	(EC) No 1907/2006, Annex XIII	
12.6. Endocrine disrupting properties		omponents considered to have endocrine disrupting properties (f) or regulation (EU) 2017/2100 or Commission Regulation (EU) igher.
12.7. Other adverse effects		al effects (e.g. ozone depletion, photochemical ozone creation global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not regulated as dangerous goods.
name	
14.3. Transport hazard class	
Class	Not assigned.
Subsidiary risk	-
Hazard No. (ADR)	Not assigned.
Tunnel restriction code	5
14.4. Packing group	Not assigned.
14.5. Environmental hazards	
14.6. Special precautions	Not assigned.
for user RID	
	Net regulated as depression reads
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class	(20)
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	- Not assigned.
14.5. Environmental hazards	-
14.6. Special precautions	Not assigned.
for user	
ADN	
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not regulated as dangerous goods.
name	
14.3. Transport hazard class	(es)
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	
14.6. Special precautions	Not assigned.
for user IATA	
	Net regulated as depression reads
14.1. UN number 14.2. UN proper shipping	Not regulated as dangerous goods. Not regulated as dangerous goods.
name	Not regulated as dangerous goods.
14.3. Transport hazard class	(es)
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	
14.6. Special precautions	Not assigned.
for user	-
IMDG	
14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping	Not regulated as dangerous goods.
name	
14.3. Transport hazard class	(es)
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.

14.5. Environmental hazards

Marine pollutantNo.EmSNot assigned.14.6. Special precautionsNot assigned.for userNot applicable.14.7. Maritime transport in bulkNot applicable.according to IMO instrumentsNot applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Linalool (CAS 78-70-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

 Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

 Not listed.

 Other regulations
 The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

 National regulations
 Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

 15.2. Chemical safety
 No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).
CAS: Chemical Abstract Service.
CEN: European Committee for Standardization.
IATA: International Air Transport Association.
IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
IMDG: International Maritime Dangerous Goods.
MAC: Maximum Allowed Concentration.
MARPOL: International Convention for the Prevention of Pollution from Ships.
PBT: Persistent, bioaccumulative and toxic.

	RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value. vPvB: Very persistent and very bioaccumulative.
References	Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any statements, which are not written out in full	
under sections 2 to 15	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.
Revision information	Product and Company Identification: Alternate Trade Names
Training information	Follow training instructions when handling this material.
Disclaimer	Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.